

Vitreoretinal Product Catalog

Table of Contents

CryoTreq [®]	5
Directional Chandelier	7
Micro Forceps and Scissors	9
Laser Probes	13
Backflush	15
Light Fibers	19
Consumables	21
Cannulas and Needles	22
Tissue Manipulators	23
Squeezers	24
Light Source Adaptors	25
Accessories	25
Product Index	26





CryoTreq®


CryoTreq® is the only hand-held, single use and stand-alone device for ophthalmic cryo-surgery, a treatment based on locally applying extreme freeze to eye tissues, to perform:



- Cryopexy for retinal detachment
- Treatment for retinopathy of prematurity



- Cataract extraction
- Cryo-destruction of lash follicles for trichiasis



Qty: 3/Bx **Brand:** Vitreq®

Description	SKU#
3 - Sterile devices per box, individually packed in a Tyvek peel pouch 1 - Multi-language Instructions for Use	CT00.D01

Advantages



UNIQUE

 First and only disposable, hand-held stand-alone device for ophthalmic cryo-surgery



STRAIGHTFORWARD

- Already sterile, 6 simple steps to use it
- Stand-alone, just one button for frosting/defrosting
- Single use advantage
- Only one "REF" covers your needs for cryo-surgery




COMPELLING

- Lowers barriers to cryo-surgery
- 4 second activation to frost the cryo-tip
- Approximately 15 freezing cycles at one patient



Addressing Control of Light Beam Direction

29G Spotlight Directional Chandelier



Enabling Bimanual Surgery With:

- Directional control of light-beam for enhanced visualization
- 29G valved entry system for straightforward light fiber entrance, fixation and removal
- Stationary and wide field endo-illumination



Vitreo

Vitreoretinal Surgical Products

29G Spotlight Directional Chandelier


29G Spotlight Directional Chandelier

Sets new standards in light beam direction control, it delivers stationary, diffuse wide-field endo-illumination enabling bimanual surgery.



Qty: 5/Bx **Brand:** Vitreq®

Description	SKU#
29G Spotlight Directional Chandelier, Sterile	LF29.D02





Improved Intraocular Surgical Control and Precision in Surgical Maneuvers

Micro Forceps and Scissors



bvimedical.com

Micro Forceps

Gauge Size with Color Coding

All Single-Use Sold in 5/Bx 23G 25G 27G

Reusable

All Reusable Sold in 1/Bx



Serrated Gripping

Serrated Gripping Micro Forceps are designed for grasping strong adherent PVR membranes.



Brand: Vitreq®

Description	SKU #
23G Single-Use	FC23.D02
25G Single-Use	FC25.D02
23G Reusable	FC23.R02
25G Reusable	FC25.R02

ILM End-gripping

FC23.D03

FC23.R03

ILM end-gripping forceps have thin tips for ILM and ERM peeling. This improves visualization for grasping thin membranes.



Asymmetrical Gripping

Asymmetrical tips allow visualization at grasping area and interior end-gripping platforms are designed for assured grasping. The tip design targets ILM, fine epiretinal membranes and diabetic PVR membranes.



Brand: Vitreq®

Description	SKU #
23G Single-Use	FC23.D03
25G Single-Use	FC25.D03
27G Single-Use	FC27.D03
23G Reusable	FC23.R03
25G Reusable	FC25.R03
● 27G Reusable	FC27.R03

Brand: Vitreq®

Description	SKU #
23G Single-Use	FC23.D04
25G Single-Use	FC25.D04
23G Reusable	FC23.R04
25G Reusable	FC25.R04

Micro Forceps

Eckardt Endgripping

Eckardt forceps with wider tip enhances surface grapsing and reducces tearing effect. Shorter tip branches enhance grasping and holding power. Designed for ILM, ERM peeling and general peeling of fie membranes which needs end-gripping action.



Brand: Vitreq®

Description	SKU #
23G Single-Use	FC23.D05
25G Single-Use	FC25.D05
27G Single-Use	FC27.D05
● 23G Reusable	FC23.R05
25G Reusable	FC25.R05
27G Reusable	FC27.R05

Kuhn 45° Power Gripping*

Kuhn 45 Degree Power Gripping forceps are designed for peeling proliferative intravitreal, epi and sub-retinal membranes, lens capsule, iris, small IOFB, fibrinous membranes, as well as ILM and ERM membranes and posterior hyaloids. With a 45 degree crocodile design inner surface, this design enables selective, strong grasping, and visibility of the target tissue.



Brand: Vitreq®

Description	SKU #
23G Single-Use	FC23.D06
25G Single-Use	FC25.D06
23G Reusable	FC23.R06
25G Reusable	FC25.R06

Shah X-tra Grip*

Fine tipped forceps with serrated jaws platform for maximum grasping of the tissue. Effective for all types of tissue manipulation, ILM, ERM, PVR and diabetic tissue.



Brand: Vitreq®

Description	SKU #
23G Single-Use	FC23.D07
25G Single-Use	FC25.D07
27G Single-Use	FC27.D07
● 23G Reusable	FC23.R07
25G Reusable	FC25.R07
27G Reusable	FC27.R07

Micro Scissors

Vertical

Sharp-tipped vertical cutting scissors for cutting perpendicular to the retina.





Brand: Vitreq®

Description	SKU #
23G Single-Use	SC23.D01
25G Single-Use	SC25.D01
27G Single-Use	SC27.D01
23G Reusable	SC23.R01
25G Reusable	SC25.R01

Straight

Sharp-tipped straight cutting scissors for cutting in the iris plane and cutting peripheral membranes.






Brand: Vitreq®

Description	SKU #
23G Single-Use	SC23.D02
25G Single-Use	SC25.D02
23G Reusable	SC23.R02
25G Reusable	SC25.R02

Horizontal Curved

SC23.R03

Sharp-tipped horizontal curved cutting scissors for cutting membranes adherent to the retinal surface. The tip's curvature of 12mm follows the contour of the retina for improved safety.





Brand: Vitreq®

Description	SKU #
23G Single-Use	SC23.D03
25G Single-Use	SC25.D03
27G Single-Use	SC27.D03
23G Reusable	SC23.R03
25G Reusable	SC25.R03
27G Reusable	SC27.R03

Reusable Cleaning Adapter

Unique cleaning/sterilization adapter included with every reusable instrument.



Qty: 1/Bx Brand: Vitreq®

Description	SKU #
Reusable Cleaning Adapter	FC00.R03



90° Directional Laser Probes



- 90° curved extendable tip for easy access to peripheral retina
- Hardened metal shaft reduces flexibility by 25%¹
- Retractable mechanism improves control of instrument tip and reduces risk of accidental removal of cannula
- Available in standard (23G, 25G and 27G) and illuminated (23G and 25G) color coded for easy gauge identification
- Compatible with all major equipment

Vitreo

Vitreoretinal Surgical Products

Vitreoretinal Surgical Products

90° Directional Laser Probes Designed For Improved Surgical Control. The ergonomic handle was designed for improved intraocular surgical control and the sliding knob to control the motion of the instrument tip.



Qty: 1/Bx **Brand:** Vitreq[®]

Description	SKU #
23G Compatible with Alcon®	LP23.A04
23G Compatible with Iridex® and B&L	LP23.I04
25G Compatible with Alcon®	LP25.A04
25G Compatible with Iridex® and B&L	LP25.I04
27G Compatible with Alcon®	LP27.A04
27G Compatible with Iridex® and B&L	LP27.I04



Qty: 1/Bx **Brand:** Vitreq®

Description	SKU #
23G Compatible with Alcon®	LP23.A05
23G Compatible with Iridex® and B&L	LP23.I05
25G Compatible with Alcon®	LP25.A05
25G Compatible with Iridex® and B&L	LP25.I05




 $^{^{\}star}$ All product names, trademarks and registered trademarks are property of their respective owners.



Backflush Instruments

Atraumatic Aspiration and Brushing Procedures
Thanks to Improved Intraocular Surgical Control

- Passive and active aspiration control in one instrument
- High volume backflush reservoir for increased capacity during vitreoretinal surgery
- Long shaft (33 mm) makes them suitable also for myopic eyes
- Blunt tip and silicone brush needles for atraumatic aspiration and brushing of retinal surface



Disposable Backflush Instruments

Disposable backflush instruments are available in three different styles.



Retractable

Silicone brush retracts into the instrument shaft for smooth and safe valved cannula entry



Extendable

8 mm extendable silicone tip for draining fluid from behind retina and other standard backflush procedures



Disposable backflush instruments are shipped with cap and tubing for passive or active use during procedures. The direct connection between reservoir and needle allows no contact between hand piece and intraocular fluids.

ngle-use products

Backflush Options

All single-use products are provided Sterile and Ready-for-Use.

Standard



Qty: 5/Bx **Brand:** Vitreq®

BF23.D02	Brand: Vitreq®
Description	SKU #
23G Blunt backflush instrument	BF23.D01
23G Brush backflush instrument	BF23.D02
25G Blunt backflush instrument	BF25.D01
25G Brush backflush instrument	BF25.D02
27G Blunt backflush instrument	BF27.D01

Retractable

27G Brush backflush instrument



Qty: 5/Bx

BF27.D02

BF23.D05	Brand: Vitreq®
Description	SKU #
23G Retractable brush BF-instrument	BF23.D05
25G Retractable brush BF-instrument	BF25.D05

Extendable

BF23.D07



Qty: 5/Bx **Brand:** Vitreq[®]

BF25.D07

	2.4
Description	SKU #
23G Extendable silicone tipped BF-instrument	BF23.D07

25G Extendable silicone tipped BF-instrument



BACKFLUSH INSTRUMENTS

Reusable Backflush Instruments

Featuring an ergonomically designed handle, rigid shaft and high volume backflush reservoir for increased backflush capacity, with Passive and Active Aspiration.

Universal Backflush Instrument



Qty: 1/Bx Brand: Vitreq®

Description	SKU #
Universal Backflush Instrument	BF00.R01

Backflush Instrument with Luer-lock Connector



Qty: 1/Bx Brand: Vitreq®

Description	SKU #
Universal Backflush Instrument	BF00.R02

Backflush Consumables

Disposable Universal **Backflush Needles**







Qty: 5/Bx BF23.D51 Brand: Vitreq®

Description	SKU #
● 23G BF Blunt needles	BF23.D51
● 23G BF Brush needles	BF23.D52
25G BF Blunt needles	BF25.D51
25G BF Brush needles	BF25.D52

Blunt Needles with Luer-Lock

Stainless steel cannula with blunt tip for aspiration or injection with syringe or tubing.



CN23.D05

Qty: 5/Bx Brand: Vitreq®

Description SKU# 23G Blunt needle with luer-lock connector. CN23.D05 25G Blunt needle with luer-lock connector CN25.D05 27G Blunt needle with luer-lock connector CN27.D05

Backflush Reservoirs







Active Reservoir BF00.D52

Qty: 5/Bx Brand: Vitreq®

Description	SKU #
Backflush reservoirs, Passive	BF00.D51
Backflush reservoirs, Active	BF00.D52

Disposable Tubing for Active Aspiration




Qty: 5/Bx Brand: Vitreq®

Description	SKU #
Disposable tubing for active aspiration	BF00.D53



Light Fibers

A Bright Vision on Illumination



Light Fibers

LF23.D01

Light Fibers featuring high-end specifications with consistent quality performance for ophthalmic endo-illumination procedures.



Qty: 5/Bx **Brand:** Vitreq®

Description	SKU #
23G Standard light fibers	LF23.D01
25G Standard light fibers	LF25.D01
27G Standard light fibers	LF27.D01





Qty: 5/Bx



LF27.D03	Brand: Vitreq®
Description	SKU #
 23G 45 Degree shielded light fibers 	LF23.D03
 25G 45 Degree shielded light fibers 	LF25.D03
27G 15 Degree shielded light fibers	LF27 D03



Qty: 5/Bx Brand: Vitreq®

Description	SKU #
 23G Wide view light fibers 	LF23.D02
25G Wide view light fibers	LF25.D02
27G Wide view light fibers	LF27.D02



Standard Light Fibers
Straight tip for focal

endo-illumination.



Light FibersWide view tip for global endo-illumination.

Wide View



45 Degree Shielded Light Fibers

45 Degree shielded wide view tip for shielded endo-illumination.



Vitreoretinal Consumables



Cannulas and Needles

New disposable vitreoretinal cannulas and needles include innovative design features to optimize difficult surgical maneuvers. The products offer the VR surgeon optimal control over some of the most challenging VR procedures, to enhance their safety and success rate. For example, the range includes PFC needles that facilitate injection with minimized pressing force and have a central bore that enables a high volume of heavy liquids to enter the eye at a minimal velocity.

PFC Injection Needles

New, optimized, PFC injection needle facilitates injection with minimized pressing force. The central bore permits a high volume of heavy liquid to enter the eye at a minimal velocity under controlled conditions.



Qty: 5/Bx MD23.D01 Brand: Vitreq®

Description	SKU #
● 23G PFC injection needle	MD23.D01
25G PFC injection needle	MD25.D01

VFI Cannula

Silicone oil injection and removal through entry system. High flow rates due to thin walls. Can be directly connected to the silicone oil syringe or to aspiration device.



Qty: 5/Bx CN23.D03 Brand: Vitreq®

Description	SKU #
● 23G VFI cannula	CN23.D03
25G VFI cannula	CN25.D03
27G VFI cannula	CN27.D03







Qty: 5/Bx BF23.D51 Brand: Vitreq®

Description	SKU #
● 23G BF Blunt needles	BF23.D51
● 23G BF Brush needles	BF23.D52
25G BF Blunt needles	BF25.D51
25G BF Brush needles	BF25.D52

Pick Needles

Stainless steel cannula with pick tip. Can be connected to a syringe or other handpiece.





Qty: 5/Bx CN25.D04 Brand: Vitreq®

Description	SKU #
● 23G Pick needle	CN23.D04
25G Pick needle	CN25.D04

Silicone Tip Cannula

Stainless steel cannula with 2 mm silicone tip for aspiration and manipulation.






Qty: 5/Bx CN25.D01 Brand: Vitreq®

Description	SKU #
■ 23G Silicone tipped cannula	CN23.D01
25G Silicone tipped cannula	CN25.D01

Blunt Needles with Luer-Lock

Stainless steel cannula with blunt tip for aspiration or injection with syringe or tubing.



Qty: 5/Bx CN23.D05 Brand: Vitreq®

Description	SKU #
● 23G Blunt needle with luer-lock connector	CN23.D05
25G Blunt needle with luer-lock connector	CN25.D05
27G Blunt needle with luer-lock connector	CN27.D05


Retractable Tissue Manipulators

INDICATIONS FOR USE

The tissue manipulator can be used in cases of retinal disorders to manipulate the retina and retinal folds.

FEATURES

- Retractable silicone tip with special ribbed structure
- The green colored silicone tip allows for a clear differentiation to the red retinal surface



Description	SKU #
23G Retractable tissue manipulator	TM23.D01
25G Retractable tissue manipulator	TM25.D01



Squeezers

Unique pencil style injection device that affords surgeons precise control for injecting stains and perfluorocarbon liquids.

The 'Squeezer' gives surgeons perfect control for injecting stains and perfluorocarbon liquids using a single-handed technique. The Squeezer injection grip is the same as the familiar and safe pencil grip that is used in working with forceps, backflush- and other surgical instruments, as well as redundant syringe assisted injection with potential uncontrolled injection risks.

Using the Squeezer, surgeons can control the start and speed of injection, as well as the amount of liquid dispensed to avoid overfill and a jet stream effect. The surgeon can easily guide the needle of the Squeezer through the entry system, get close to the retina, and precisely stain only the target tissue with complete control over the injection speed.



The new Squeezer has been developed in collaboration with Prof. Claus Eckardt.

Dye Squeezers



Description	SKU #
2 ml reservoir, Sterile	SQ00.D01

PFC Squeezers



Description	SKU #
5 ml reservoir, Sterile	SQ00.D02

Blunt Injection Needles with Luer-lock Connector

Blunt Needles with Luer-Lock

Stainless steel cannula with blunt tip for aspiration or injection with syringe or tubing.



Qty: 5/Bx CN23.D05 Brand: Vitreq®

Description	SKU #
● 23G Blunt needle with luer-lock connector	CN23.D05
25G Blunt needle with luer-lock connector	CN25.D05
27G Blunt needle with luer-lock connector	CN27.D05

Light Source Adaptors

The Light Fibers are compatible with most endo-illumination systems in combination with Light Source Adaptors*.

Constellation® Light Source Adaptor



Qty: 1/Bx **Brand:** Vitreq®

Description	SKU #
Constellation® Light Source Adaptor	LF00.R01

Ruck® Light Source Adaptor



Qty: 1/Bx **Brand:** Vitreq®

Description	SKU #
Ruck® Light Source Adaptor	LF00.R04

Stellaris® Light Source Adaptor



Qty: 1/Bx **Brand:** Vitreq[®]

Description	SKU #
Stellaris® Light Source Adaptor	LF00.R02

DORC® Light Source Adaptor



Qty: 1/Bx **Brand:** Vitreq[®]

Description	SKU #
DORC® Light Source Adaptor	LF00.R05

Geuder® Light Source Adaptor



Qty: 1/Bx

Brand: Vitreq®

Description	SKU #
Geuder® Light Source Adaptor	LF00.R03

Accessories

Williamson Scleral Depressor

The Williamson scleral depressor is specially designed to be used for VR-surgery in combination with small gauge entry and BIOM systems. First scleral indenter specially designed to use in combination with entry systems with particular attention to sizing and angulation of the indenting surfaces.







Description	SKU #
3 mm Ball tip, 45 Degree bent tip	VS00.R02

 $^{^{\}star}$ All product names, trademarks and registered trademarks are property of their respective owners.

Product Index

BF00.D51	PC
BFOD.852	10
BFOOR NOT Universal Backflush Instrument with Luer-lock Connector 18 FC27,R03 ILM End-grapping 27G Reusable BF03,D01 Standard 23G Brunt backflush instrument 17 FC27,R07 Shah X-tra Grip 27G Reusable BF23,D05 Standard 23G Brunt backflush instrument 17 FC07,R07 Shah X-tra Grip 27G Reusable BF23,D07 Standard 23G Brunt backflush instrument 17 LF00,R02 Scalard 25G Brunt backflush instrument 17 BF23,D07 Standard 25G Brunt backflush instrument 17 LF00,R03 Scalard 25G Brunt backflush instrument 17 LF00,R03 Bruck* Light Source Adaptor BF23,D02 Standard 25G Brunt backflush instrument 17 LF23,D01 23G Standard light fibers BF25,D07 Standard 25G Brunt backflush instrument 17 LF23,D01 23G Standard light fibers BF25,D07 Standard 25G Standard Standa	1
BF02.D01	1
BF23 DO1 Standard 23G Blunt backflush instrument 17 FC27.R07 Shah X-Kra Grip 27G Reusable BF23 DO5 Standard 23G Brunt backflush instrument 17 LF00 R01 Constellation® Light Source Adaptor BF23 DO5 Retractable 23G Silicone tipped backflush instrument 17 LF00 R03 Stellaris® Light Source Adaptor BF23 DO5 23G BF Blunt needles 18, 22 LF00 R04 Ruke® Light Source Adaptor BF23 DO5 23G BF Blunt needles 18, 22 LF00 R05 DORCE* Light Source Adaptor BF25 DO5 Standard 25G Brush backflush instrument 17 LF23 DO1 23G Standard light fibers BF25 DO5 Standard 25G Brush backflush instrument 17 LF23 DO2 23G Wide iew light fibers BF25 DO5 Standard 25G Brush backflush instrument 17 LF23 DO2 23G Wide iew light fibers BF25 DO5 25G BF Brush needles 18, 22 LF25 DO3 25G Standard fift fibers BF25 DO2 25G BF Brush needles 18, 22 LF25 DO2 25G Standard fift fibers BF25 DO2 25G BF Brush needles 18, 22 LF25 DO3 25G 45 Degree active light fibers </td <td>10</td>	10
BF23.D02 Standard 23G Brush backflush instrument 17 LF00.R01 Constellation® Light Source Adaptor BF23.D07 Extandable 23G Silicone tipped backflush instrument 17 LF00.R03 Geude® Light Source Adaptor BF23.D07 23G BF Blunt needles 18, 22 LF00.R04 Ruck® Light Source Adaptor BF25.D01 23G BF Blunt needles 18, 22 LF00.R04 DORC® Light Source Adaptor BF25.D02 Standard 25G Blunt backflush instrument 17 LF23.D01 23G Standard light fibers BF25.D02 Standard 25G Blunt backflush instrument 17 LF23.D02 23G Wide view light fibers BF25.D05 Retractable 25G Silicone tipped backflush instrument 17 LF23.D02 23G Wide view light fibers BF25.D05 25G BF Brush needles 18, 22 LF25.D03 25G Standard light fibers BF27.D02 25G BF Brush needles 18, 22 LF25.D03 25G 45 Degree shielded light fibers BF27.D03 Standard 27G Blunt backflush instrument 17 LF27.D03 25G 45 Degree shielded light fibers BF27.D03 Standard 27G Blush shackflush instrument 17 LF27.D03	11
BF23.D05 Retractable 23G Retractable brush backflush instrument 17 LF00.R02 Stellaris® Light Source Adaptor BF23.D07 Extandable 23G Silicone tipped backflush instrument 18, 22 LF00.R08 Guedle" Light Source Adaptor BF23.D51 23G BF Brush needles 18, 22 LF00.R08 DORC® Light Source Adaptor BF25.D01 Standard 25G Brush backflush instrument 17 LF23.D01 23G Standard Ight fibers BF25.D02 Standard 25G Brush backflush instrument 17 LF23.D02 23G Wide view light fibers BF25.D02 Standard 25G Blunt backflush instrument 17 LF23.D02 23G Wide view light fibers BF25.D05 Standard 27G Silicone tipped backflush instrument 17 LF25.D02 25G Wide view light fibers BF25.D051 25G BF Blunt needles 18, 22 LF25.D02 25G Wide view light fibers BF27.D01 Standard 27G Blunt backflush instrument 17 LF27.D02 25G 45 Degree shielded light fibers BF27.D02 Standard 27G Blunt backflush instrument 17 LF27.D02 25G Wide view light fibers BF27.D02 Standard 27G Blunt backflush instrument	11
BF23.D07 Extandable 23G Silicone tipped backflush instrument 17 LF00.R03 Guedre* Light Source Adaptor BF23.D51 23G BF Brunt needles 18, 22 LF00.R04 Rucke* Light Source Adaptor BF23.D52 23G BF Brush needles 18, 22 LF00.R05 DORC** Light Source Adaptor BF25.D02 Standard 25G Blunt backflush instrument 17 LF23.D01 23G Sirdordard Sig Residual plant fibers BF25.D05 Retractable 25G Retractable brush backflush instrument 17 LF23.D03 23G 45 Degree shielded light fibers BF25.D07 Extendable 25G Silicone tipped backflush instrument 17 LF25.D01 25G Standard light fibers BF25.D51 SEG BF Brush needles 18, 22 LF25.D02 25G 45 Degree shielded light fibers BF25.D52 SEG BF Brush needles 18, 22 LF25.D03 25G 45 Degree shielded light fibers BF27.D01 Standard 27G Brush backflush instrument 17 LF27.D02 27G Silicone tipped cannula 22 LF27.D03 27G 45 Degree shielded light fibers BF27.D02 Standard 27G Brush backflush instrument 17 LF27.D02 27G Wide view light fibers	25
BF23.D51 23G BF Blunt needles 18, 22 LF00.R04 Ruck® Light Source Adaptor BF23.D52 23G BF Brush needles 18, 22 LF00.R05 DORC® Light Source Adaptor BF25.D02 Standard 25G Blunt backflush instrument 17 LF23.D01 23G Standard light fibers BF25.D05 Retractable 25G Blicone tipped backflush instrument 17 LF23.D02 23G Wide view light fibers BF25.D07 Extendable 25G Sliicone tipped backflush instrument 17 LF25.D00 25G Wide view light fibers BF25.D05 25G BF Blunt needles 18, 22 LF25.D00 25G Wide view light fibers BF25.D07 55G BF Blunt needles instrument 17 LF27.D02 25G Wide view light fibers BF27.D01 5tandard 27G Blunt backflush instrument 17 LF27.D02 27G Standard light fibers BF27.D02 25G BF Brush needles 18, 22 LF27.D01 27G Standard light fibers BF27.D02 25G BF Brush needle with liver-lock connector 17 LF27.D02 27G Standard light fibers BF27.D02 23G Brush packflush instrument 17 LF27.D02 27G Standard light fibers	25
BF23.D52 23G BF Brush needles 18, 22 LF00.R05 DORC® Light Source Adaptor BF25.D01 Standard 25G Blunt backflush instrument 17 LF23.D01 23G Standard light fibers BF25.D05 Retractable Brush backflush instrument 17 LF23.D02 23G Wide view light fibers BF25.D07 Extendable 25G Silicone tipped backflush instrument 17 LF25.D02 25G Standard light fibers BF25.D05 25G BF Blush needles 18, 22 LF25.D02 25G Wide view light fibers BF25.D05 25G BF Blush needles 18, 22 LF25.D03 25G 45 Degree shielded light fibers BF27.D01 Standard 27G Blush backflush instrument 17 LF27.D02 27G Wide view light fibers BF27.D01 Standard 27G Blush backflush instrument 17 LF27.D02 27G Standard light fibers BF27.D01 Standard 27G Blush backflush instrument 17 LF27.D02 27G Standard light fibers BF27.D01 Standard 27G Blush backflush instrument 17 LF27.D02 27G Standard light fibers BF27.D02 Standard 27G Blush backflush instrument 17 LF27.D02 27G	25
BF25.D01 Standard 25G Blunt backflush instrument 17 LF23.D02 23G Standard light fibers BF25.D05 Standard 25G Brush backflush instrument 17 LF23.D02 23G Wide view light fibers BF25.D05 Extendable 25G Retractable be 25G Retractable 25G Retractable 25G GRetractable 25G Silicone tipped backflush instrument 17 LF25.D01 25G Standard light fibers BF25.D51 25G BF Blunt needles 18, 22 LF25.D02 25G Wide view light fibers BF25.D52 25G BF Blunt needles 18, 22 LF25.D03 25G 45 Degree shielded light fibers BF27.D02 25G Wide view light fibers 18, 22 LF25.D03 25G 45 Degree shielded light fibers BF27.D02 25G BF Brush backflush instrument 17 LF27.D03 25G 45 Degree shielded light fibers BF27.D02 23G Blunt backflush instrument 17 LF27.D03 27G 45 Degree shielded light fibers BF27.D02 23G Blunt backflush instrument 17 LF27.D03 27G 45 Degree shielded light fibers BF27.D02 23G Slicone tipped cannula 22 LF27.D03 27G 45 Degree shielded light fibers CN23.D03 23G Pick needle	25
BF25.D02 Standard 25G Brush backflush instrument 17 LF23.D02 23G Wilde view light fibers BF25.D07 Retractable 25G Retractable brush backflush instrument 17 LF23.D03 23G 45 Degrees shielded light fibers BF25.D07 25G BF Blunt needles 18, 22 LF25.D02 25G Wilde view light fibers BF25.D51 25G BF Brush needles 18, 22 LF25.D03 25G 45 Degree shielded light fibers BF27.D01 25G BF Brush needles 18, 22 LF27.D01 27G Standard light fibers BF27.D01 25G BF Brush needles 18, 22 LF27.D02 25G 45 Degree shielded light fibers BF27.D01 25G BF Brush needles 18, 22 LF27.D02 27G Wilde view light fibers CN23.D01 23G Silicone tipped cannula 22 LF27.D03 27G 45 Degree shielded light fibers CN23.D02 23G Pick needle 22 LF27.D03 27G 45 Degree shielded light fibers CN23.D03 23G Filcone tipped cannula 22 LF23.D02 27G 55 Degree shielded light fibers CN23.D03 23G Blunt needle with luer-lock connector 18, 24, 22 LP23.A04 Laser Probe 23G	2
BF25.D05 Retractable 25G Retractable brush backflush instrument 17 LF23.D03 23G 45 Degree shielded light fibers BF25.D07 Extendable 25G Silicone tipped backflush instrument 17 LF25.D01 25G Krandard Light fibers BF25.D51 25G BF Burn needles 18, 22 LF25.D03 25G 45 Degree shielded light fibers BF27.D02 25G BF Burn needles 18, 22 LF27.D03 25G 45 Degree shielded light fibers BF27.D02 25G BF Burn heedles 18, 22 LF27.D03 25G 54 Degree shielded light fibers BF27.D02 25G BF Burn heedles 17 LF27.D03 27G 5tandard Light fibers CN23.D01 23G Silicone tipped cannula 22 LF27.D03 27G 45 Degree shielded light fibers CN23.D03 23G Filc needle 22 LF27.D03 27G 54 Degree shielded light fibers CN23.D03 23G Silicone tipped cannula 22 LF27.D03 27G 54 Degree shielded light fibers CN23.D05 23G Bilun heedle with luer-lock connector 18, 24, 22 LF23.A04 Laser Probe 23G Compatible with Alcon® CN23.D05 23G Bilun heedle with luer-lock connector 18, 24, 22	20
BF25.D07 Extendable 25G Silicone tipped backflush instrument 17 LF25.D01 25G Standard light fibers BF25.D51 25G BF Blunt needles 18, 22 LF25.D02 25G William (well light fibers BF25.D52 25G BF Brush needles 18, 22 LF25.D03 25G 45 Degree shielded light fibers BF27.D01 Standard 27G Brush backflush instrument 17 LF27.D01 27G Standard light fibers CN23.D01 23G Silicone tipped cannula 22 LF27.D02 27G Wide view light fibers CN23.D03 23G VFI cannula 22 LF27.D03 27G 45 Degree shielded light fibers CN23.D04 23G Pick needle 22 LF27.D02 29G Spotlight Directional Chandelier CN23.D05 23G Blunt needle with luer-lock connector 18, 24, 22 LF23.A04 Laser Probe 23G Compatible with Alcon® CN25.D01 25G Silicone tipped cannula 22 LF23.A05 Illuminated Laser Probe 23G Compatible with Iridex® and Blunt needle with luer-lock connector 18, 24, 22 LP25.A04 Laser Probe 23G Compatible with Iridex® and Blunt needle with luer-lock connector 18, 24, 22 LP25.A04 Laser Probe 23G Compatible with Iridex® and Blunt needle with luer-lock connec	20
BF25.D51 25G BF Blunt needles 18, 22 LF25.D02 25G Wide view light fibers BF25.D52 25G BF Brush needles 18, 22 LF25.D03 25G 45 Degree shielded light fibers BF27.D01 Standard 27G Brush backflush instrument 17 LF27.D02 27G Wide view light fibers BF27.D02 Standard 27G Brush backflush instrument 17 LF27.D03 27G 45 Degree shielded light fibers CN23.D01 23G Silicone tipped cannula 22 LF27.D03 27G 45 Degree shielded light fibers CN23.D04 23G Pick needle 22 LF23.A04 Laser Probe 23G Compatible with Alcon® CN23.D05 23G Blunt needle with luer-lock connector 18, 24, 22 LP23.A05 Illuminated Laser Probe 23G Compatible with Alcon® CN25.D01 25G Silicone tipped cannula 22 LP23.I05 Illuminated Laser Probe 23G Compatible with Alcon® CN25.D04 25G Pilc needle 22 LP25.A05 Illuminated Laser Probe 25G Compatible with Alcon® CN25.D05 25G Blunt needle with luer-lock connector 18, 24, 22 LP25.I04 Laser Probe 25G Compatible with Alcon® CN27.D05 27G VFI cannula 22<	20
BF25.D52 25G BF Brush needles 18, 22 LF25.D03 25G 45 Degree shielded light fibers BF27.D01 Standard 27G Brush backflush instrument 17 LF27.D01 27G Standard light fibers BF27.D02 23G Silicone tipped cannula 22 LF27.D03 27G 45 Degree shielded light fibers CN23.D03 23G Silicone tipped cannula 22 LF27.D03 27G 45 Degree shielded light fibers CN23.D04 23G Filcone tipped cannula 22 LF29.D02 29G Spotlight Directional Chandelier CN23.D05 23G Blunt needle with luer-lock connector 18, 24, 22 LP23.A04 Laser Probe 23G Compatible with Alcon® CN25.D01 25G Silicone tipped cannula 22 LP23.I04 Laser Probe 23G Compatible with Alcon® CN25.D03 25G VFI cannula 22 LP23.I06 Illuminated Laser Probe 23G Compatible with Index® and B&It Index® CN25.D05 25G Blunt needle with luer-lock connector 18, 24, 22 LP25.I04 Laser Probe 25G Compatible with Index® and B&It Index® CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I04 Laser Probe 25G Compatible with Index® and B&It Index® CN27.	20
BF27.D01 Standard 27G Blunt backflush instrument 17 LF27.D01 27G Standard Iight fibers BF27.D02 Standard 27G Brush backflush instrument 17 LF27.D02 27G Wide view light fibers CN23.D03 23G Silicone tipped cannula 22 LF27.D03 27G 45 Degree shielded light fibers CN23.D04 23G Fick needle 22 LF29.D02 29G Spotlight Directional Chandelier CN23.D05 23G Blunt needle with luer-lock connector 18, 24, 22 LP23.A04 Laser Probe 23G Compatible with Alcon® CN25.D01 25G Silicone tipped cannula 22 LP23.I04 Laser Probe 23G Compatible with Iridex® and Bt CN25.D03 25G VFI cannula 22 LP23.I05 Illuminated Laser Probe 23G Compatible with Iridex® and Bt CN25.D05 25G Blunt needle with luer-lock connector 18, 24, 22 LP25.A04 Laser Probe 25G Compatible with Iridex® and Bt CN27.D05 25G Blunt needle with luer-lock connector 18, 24, 22 LP25.I04 Laser Probe 25G Compatible with Iridex® and Bt CN27.D05 27G Silunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and Bt	20
BF27.D02 Standard 27G Brush backflush instrument 17 LF27.D02 27G Wide view light fibers CN23.D01 23G Silicone tipped cannula 22 LF27.D03 27G 45 Degree shielded light fibers CN23.D03 23G VFI cannula 22 LF29.D02 29G Spotlight Directional Chandelier CN23.D04 23G Pick needle 22 LF23.D05 23G Blunt needle with luer-lock connector CN23.D05 23G Blunt needle with luer-lock connector CN25.D01 25G Silicone tipped cannula 22 LP23.I04 Laser Probe 23G Compatible with Alcon® CN25.D03 25G VFI cannula 22 LP23.I04 Laser Probe 23G Compatible with Iridex® and Bt CN25.D03 25G VFI cannula 22 LP23.I06 Laser Probe 23G Compatible with Iridex® and Bt CN25.D04 25G Pick needle 22 LP25.A04 Laser Probe 25G Compatible with Iridex® and Bt CN27.D05 27G Blunt needle with luer-lock connector CN25.D05 25G Blunt needle with luer-lock connector 18, 24, 22 LP25.B05 Illuminated Laser Probe 25G Compatible with Iridex® and Bt CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.B06 Illuminated Laser Probe 25G Compatible with Iridex® and Bt CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.B06 Illuminated Laser Probe 25G Compatible with Iridex® and Bt CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.B06 Illuminated Laser Probe 25G Compatible with Iridex® and Bt CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.B06 Illuminated Laser Probe 25G Compatible with Iridex® and Bt CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.B06 Illuminated Laser Probe 25G Compatible with Iridex® and Bt CN27.D05 27G Blunt needle with Iridex® and Bt CN27.D04 25G Blunt needle with Iridex® and Bt CN27.D05 25G Blunt needle with Iridex® and Bt CN27.D05 25G Blunt needle with Iridex® and Bt CN27.D06 25G Compatible with Iridex® and Bt CN27.D07 25G Blunt needle with Iridex® and Bt CN27.D07 25G Blunt needle with Iridex® and Bt CN27.D07 25G Blunt needle with Iridex® and Bt CN27.D08 25G Compatible with Iridex® and Bt CN27.D09 25G Blunt needle with Iridex® and Bt CN27.D00 25G PFC injection needle CN27.D00	20
CN23.D01 23G Silicone tipped cannula 22 LF27.D03 27G 45 Degree shielded light fibers CN23.D03 23G VFI cannula 22 LF29.D02 29G Spottight Directional Chandelier CN23.D03 23G Pick needle 22 LF23.A04 Laser Probe 23G Compatible with Alcon® CN23.D05 23G Blunt needle with luer-lock connector 18, 24, 22 LF23.A05 Illuminated Laser Probe 23G Compatible with Alcon® CN25.D01 25G Silicone tipped cannula 22 LF23.I04 Laser Probe 23G Compatible with Iridex® and B8 CN25.D03 25G VFI cannula 22 LF23.I05 Illuminated Laser Probe 23G Compatible with Iridex® and B8 CN25.D03 25G VFI cannula 22 LF25.A04 Laser Probe 23G Compatible with Iridex® CN25.D04 25G Pick needle 22 LF25.A05 Illuminated Laser Probe 25G Compatible with Alcon® CN25.D05 25G Blunt needle with luer-lock connector 18, 24, 22 LF25.A05 Illuminated Laser Probe 25G Compatible with Alcon® CN27.D03 27G VFI cannula 22 LF25.I04 Laser Probe 25G Compatible with Iridex® and B8 CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LF25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and B8 CN27.D05 27G Blunt needle with Iridex® and B8 CN27.D05 27G Blunt needle with Iridex® and B8 CN27.D05 27G Compatible with Iridex® and B8 CN27.D05 27G Slunt needle with Iridex® and B8 CN27.D05 27G Slunt needle with Iridex® and B8 CN23.D05 27G Slunt Needle with Iridex® and B8 CN23.D05 27G Compatible with Iridex® and B8 CN23.D06 27G Compatible with Iridex® and B8 CN23.D07 27G CM27.D07 2	20
CN23.D03 23G VFI cannula 22 LF29.D02 29G Spotlight Directional Chandelier CN23.D04 23G Pick needle CN23.D05 23G Blunt needle with luer-lock connector 18, 24, 22 LP23.A04 Laser Probe 23G Compatible with Alcon® CN25.D01 25G Silicone tipped cannula 22 LP23.I05 Illuminated Laser Probe 23G Compatible with Alcon® CN25.D03 25G VFI cannula 22 LP23.I06 Laser Probe 23G Compatible with Iridex® and B& CN25.D04 25G Pick needle 22 LP25.A04 Laser Probe 25G Compatible with Iridex® and B& CN25.D05 25G Blunt needle with luer-lock connector 18, 24, 22 LP25.A04 Laser Probe 25G Compatible with Alcon® CN27.D05 27G VFI cannula 22 LP25.I04 Laser Probe 25G Compatible with Iridex® and B& CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and B& CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and B& CN27.D05 27G Blunt needle with Iridex® and B& CN27.D06 27G Compatible with Iridex® and B& CN27.D07 29G Serrated Gripping 23G Single-Use 10 LP27.I04 Laser Probe 27G Compatible with Iridex® and B& FC23.D03 ILM End-gripping 23G Single-Use 10 MD23.D01 23G PFC injection needle FC23.D04 Asymmetrical Gripping 23G Single-Use FC23.D05 Eckardt Endgripping 23G Single-Use FC23.D07 Shah X-tra Grip 23G Reusable FC23.R08 Serrated Gripping 23G Reusable FC23.R09 Serrated Gripping 23G Reusable FC23.R00 Serrated Gripping 23G Reusable FC23.R00 Ekardt Endgripping 23G Reusable FC23.R00 Serrated Gripping 23G Reusable FC23.R00 Serrated Gripping 23G Reusable FC23.R00 Serrated Gripping 23G Reusable FC23.R01 Vertical Micro Scissors 23G Reusable FC23.R02 Serrated Gripping 23G Reusable FC23.R03 Ilm End-gripping 23G Reusable FC23.R04 Asymmetrical Gripping 23G Reusable FC23.R05 Eckardt Endgripping 23G Reusable FC23.R06 Kuhn 45° Power Gripping 25G Sing	20
CN23.D04 23G Pick needle 22 LP23.A04 Laser Probe 23G Compatible with Alcon® (N23.D05 23G Blunt needle with luer-lock connector 18, 24, 22 LP23.A05 Illuminated Laser Probe 23G Compatible with Al Alcon® (N25.D01 25G Silicone tipped cannula 22 LP23.I05 Illuminated Laser Probe 23G Compatible with Al Alcon® (N25.D03 25G VFI cannula 22 LP23.I05 Illuminated Laser Probe 23G Compatible with Iridex® (N25.D04 25G Pick needle 22 LP25.A04 Laser Probe 23G Compatible with Iridex® (N25.D05 25G Blunt needle with luer-lock connector 18, 24, 22 LP25.A04 Laser Probe 25G Compatible with Alcon® (N25.D05 25G Blunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and 8K (N27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and 8K (N27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and 8K (N27.D05 27G Single-Use 10 LP27.I04 Laser Probe 27G Compatible with Iridex® and 8K (N27.D05 27G Single-Use 10 MD23.D01 23G PFC injection needle PC23.D04 Asymmetrical Gripping 23G Single-Use 10 MD23.D01 23G PFC injection needle PC23.D05 Eckardt Endgripping 23G Single-Use 11 SC23.D05 Eckardt Endgripping 23G Single-Use 11 SC23.D05 Serrated Gripping 23G Single-Use 11 SC23.D07 Shah X-tra Grip 23G Reusable 10 SC23.R02 Straight Micro Scissors 23G Single-Use PC23.R04 Asymmetrical Gripping 23G Reusable 10 SC23.R05 Straight Micro Scissors 23G Reusable PC23.R05 Eckardt Endgripping 23G Reusable 11 SC25.D01 Vertical Micro Scissors 23G Reusable PC23.R06 Kuhn 45° Power Gripping 23G Reusable 11 SC25.D02 Straight Micro Scissors 25G Single-Use PC23.R05 Shah X-tra Grip 23G Reusable 11 SC25.D03 Horizontal Curved Micro Scissors 25G Single-Use PC23.R05 Shah X-tra Grip 23G Reusable 11 SC25.D01 Vertical Micro Scissors 25G Single-Use PC23.R05 Shah X-tra Grip 23G Reusable 11 SC25.D03 Horizontal Curved Micro Scissors 25G Reusable PC23.R05 Shah X-tra Grip 23G Single-Use 10 SC25.R01 Verti	20
CN23.D05 23G Blunt needle with luer-lock connector 18, 24, 22 LP23.A05 Illuminated Laser Probe 23G Compatible with Al CN25.D01 25G Silicone tipped cannula 22 LP23.I04 Laser Probe 23G Compatible with Iridex® and B& CN25.D03 25G VFI cannula 22 LP23.I05 Illuminated Laser Probe 23G Compatible with Iridex® and B& CN25.D05 25G Blunt needle with luer-lock connector 18, 24, 22 LP25.A04 Laser Probe 25G Compatible with Alcon® CN27.D03 27G VFI cannula 22 LP25.A05 Illuminated Laser Probe 25G Compatible with Alcon® CN27.D03 27G VFI cannula 22 LP25.I04 Laser Probe 25G Compatible with Iridex® and B& CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and B& CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and B& CN27.D05 27G Blunt needle with Iridex® and B& LP27.I04 Laser Probe 27G Compatible with Iridex® and B& CN23.D02 Serrated Gripping 23G Single-Use 10 MD23.D01 23G PFC injection needle PC23.D04 Asymmetrical Gripping 23G Single-Use 11 SC23.D05 Eckardt Endgripping 23G Single-Use 11 SC23.D05 Eckardt Endgripping 23G Single-Use 11 SC23.D05 Straight Micro Scissors 23G Single-Use 11 SC23.D05 Straight Micro Scissors 23G Single-Use 11 SC23.D05 Straight Micro Scissors 23G Reusable 10 SC23.R01 Vertical Micro Scissors 23G Reusable PC23.R04 Asymmetrical Gripping 23G Reusable 10 SC23.R02 Straight Micro Scissors 23G Reusable PC23.R05 Eckardt Endgripping 23G Reusable 11 SC25.D02 Straight Micro Scissors 25G Single-Use PC23.R07 Shah X-tra Grip 23G Reusable 11 SC25.D03 Horizontal Curved Micro Scissors 25G Reusable PC23.R07 Shah X-tra Gripping 23G Reusable 11 SC25.D03 Horizontal Curved Micro Scissors 25G Reusable PC23.R07 Shah X-tra Gripping 23G Reusable 11 SC25.D03 Horizontal Curved Micro Scissors 25G Reusable PC23.R07 Shah X-tra Gripping 25G Single-Use 10 SC25.R01 Vertical Micro Scissors 25G Reusable PC23.R03 Horizontal Curved Micro Scissors 25G Reusable PC25.D04 Serrated Gripping 25G Single-Use 1	8
CN25.D01 25G Silicone tipped cannula 22 LP23.I04 Laser Probe 23G Compatible with Iridex® and B& CN25.D03 25G VFI cannula 22 LP23.I05 Illuminated Laser Probe 23G Compatible with Iridex® CN25.D04 25G Pick needle 22 LP25.A04 Laser Probe 25G Compatible with Iridex® CN25.D05 25G Blunt needle with luer-lock connector 18, 24, 22 LP25.A05 Illuminated Laser Probe 25G Compatible with Alcon® 22 LP25.I04 Laser Probe 25G Compatible with Iridex® and B& CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and B& CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and B& CN27.D05 27G Blunt needle with Iridex® and B& CN27.D05 27G Blunt needle with Iridex® and B& CN27.D05 27G Compatible with Iridex® and B& CN27.D05 27G Compatible with Iridex® and B& CN27.D05 27G Compatible with Iridex® and B& CN27.D06 27G Compatible with Iridex® and B& CN27.D07 27G Compat	14
CN25.D03 25G VFI cannula 22 LP23.I05 Illuminated Laser Probe 23G Compatible with Iridex® CN25.D04 25G Pick needle 22 LP25.A04 Laser Probe 25G Compatible with Alcon® CN25.D05 25G Blunt needle with luer-lock connector 18, 24, 22 LP25.A05 Illuminated Laser Probe 25G Compatible with Alcon® CN27.D03 27G VFI cannula 22 LP25.I04 Laser Probe 25G Compatible with Iridex® and B& CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and B& CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and B& CN27.D05 27G Blunt needle with Iridex® and B& LP27.A04 Laser Probe 27G Compatible with Iridex® and B& LP27.I04 Laser Probe 27G	
CN25.D04 25G Pick needle CN25.D05 25G Blunt needle with luer-lock connector CN25.D05 25G Blunt needle with luer-lock connector CN27.D03 27G VFI cannula 22 LP25.I04 Laser Probe 25G Compatible with AICON® CN27.D05 27G Blunt needle with luer-lock connector CN27.D06 27G Blunt needle with luer-lock connector CN27.D07 27G Blunt needle with luer-lock connector CN27.D08 27G Blunt needle with luer-lock connector CN27.D09 27G Blunt needle with lidex® and Bit luminated Laser Probe 25G Compatible with lidex® and Bit luminated Laser Probe 25G Compatible with lidex® and Bit luminated Laser Probe 25G Compatible with lidex® and Bit luminated Laser Probe 25G Compatible with lidex® and Bit luminated Laser Probe 25G Compatible with lidex® and Bit luminated Laser Probe 25G Compatible with lidex® and Bit luminated Laser Probe 25G Compatible with lidex® and Bit luminated Laser Probe 25G Compatible with lidex® and Bit luminated Laser Probe 25G Compatible with lidex® and Bit luminated Laser Probe 25G Compatible with lidex® and Bit luminated Laser Probe 25G Compatible with lidex® and Bit luminated Laser Probe 25G Compatible with lidex® and Bit luminated Laser Probe 25G Compatible with lidex® and Bit luminated L	
CN25.D05 25G Blunt needle with luer-lock connector 18, 24, 22 LP25.I04 Laser Probe 25G Compatible with All CN27.D03 27G VFI cannula 22 LP25.I04 Laser Probe 25G Compatible with Iridex® and B& CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and B& CN27.D05 CryoTreq® 6 LP27.A04 Laser Probe 27G Compatible with Iridex® and B& CN27.D03 ILM End-gripping 23G Single-Use FC23.D03 ILM End-gripping 23G Single-Use FC23.D04 Asymmetrical Gripping 23G Single-Use FC23.D05 Eckardt Endgripping 23G Single-Use FC23.D06 Kuhn 45° Power Gripping 23G Single-Use FC23.D07 Shah X-tra Grip 23G Single-Use FC23.D08 Serrated Gripping 23G Reusable FC23.R00 Serrated Gripping 23G Reusable FC23.R01 LIM End-gripping 23G Reusable FC23.R02 Serrated Gripping 23G Reusable FC23.R03 ILM End-gripping 23G Reusable FC23.R04 Asymmetrical Gripping 23G Reusable FC23.R05 Eckardt Endgripping 23G Reusable FC23.R06 Kuhn 45° Power Gripping 23G Reusable FC23.R07 Shah X-tra Grip 23G Reusable FC23.R08 Eckardt Endgripping 23G Reusable FC23.R09 Serrated Gripping 23G Reusable FC23.R00 Serrated Gripping 23G Reusable FC23.R01 Shah X-tra Gripping 23G Reusable FC23.R02 Serrated Gripping 23G Reusable FC23.R03 Horizontal Curved Micro Scissors 23G Reusable FC23.R04 Asymmetrical Gripping 23G Reusable FC23.R05 Eckardt Endgripping 23G Reusable FC23.R06 Kuhn 45° Power Gripping 23G Reusable FC23.R07 Shah X-tra Gripping 23G Reusable FC25.D00 Serrated Gripping 25G Single-Use FC25.D01 Vertical Micro Scissors 25G Reusable FC25.D02 Serrated Gripping 25G Single-Use FC25.D03 Horizontal Curved Micro Scissors 25G Reusable FC25.D04 Asymmetrical Gripping 25G Single-Use FC25.D05 Eckardt Endgripping 25G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use FC25.D07 Vertical Micro Scissors 27G Single-Use FC25.D08 Eckardt Endgripping 25G Single-Use FC25.D09 Eckardt Endgripping 25G Single-Use FC25.D00 Kuhn 45° Power Gripping 25G Single-Use FC25.D00 Kuhn 45° Power Gripping 25G Sin	
CN27.D03 27G VFI cannula CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I04 Laser Probe 25G Compatible with Iridex® and B&CN27.D05 27G Blunt needle with luer-lock connector 18, 24, 22 LP25.I05 Illuminated Laser Probe 25G Compatible with Iridex® and B&CN27.D02 Serrated Gripping 23G Single-Use 10 LP27.I04 Laser Probe 27G Compatible with Iridex® and B&CN23.D03 ILM End-gripping 23G Single-Use 10 MD23.D01 23G PFC injection needle 10 MD23.D01 25G PFC injection needle 10 MD25.D01 25G PFC injection needle 11 SC23.D04 Asymmetrical Gripping 23G Single-Use 12 Scardt Endgripping 23G Single-Use 13 SC23.D05 Eckardt Endgripping 23G Single-Use 14 SC23.D06 Kuhn 45° Power Gripping 23G Single-Use 15 SC23.D07 Shah X-tra Grip 23G Single-Use 16 SC23.D08 Serrated Gripping 23G Reusable 17 SC23.D09 Straight Micro Scissors 23G Single-Use 18 SC23.D09 Straight Micro Scissors 23G Single-Use 19 SC23.D00 Straight Micro Scissors 23G Single-Use 10 SC23.R01 Vertical Micro Scissors 23G Reusable 10 SC23.R02 Straight Micro Scissors 23G Reusable 10 SC23.R03 Horizontal Curved Micro Scissors 23G Reusable 10 SC23.R03 Horizontal Curved Micro Scissors 23G Reusable 10 SC23.R04 Asymmetrical Gripping 23G Reusable 10 SC25.D05 Straight Micro Scissors 25G Single-Use 11 SC25.D06 Vertical Micro Scissors 25G Single-Use 11 SC25.D07 Shah X-tra Grip 23G Reusable 11 SC25.D08 Straight Micro Scissors 25G Single-Use 12 SC25.D09 Straight Micro Scissors 25G Reusable 13 SC25.D00 Straight Micro Scissors 25G Reusable 14 SC25.D00 Straight Micro Scissors 25G Reusable 15 SC25.R00 Straight Micro Scissors 25G Reusable 16 SC25.R00 Straight Micro Scissors 25G Reusable 17 SC25.R00 Straight Micro Scissors 25G Reusable 18 SC25.D00 Straight Micro Scissors 25G Reusable 19 SC25.R00 Straight Micro Scissors 25G Reusable 19 SC25.R00 Straight Micro Scissors 25G Reusable 10 SC25.R00 Horizontal Curved Micro Scissors 25G Reusable 10 SC25.R00 Horizontal Curved Micro Scissors 25G Reusable 10 SC25.R00 Horizontal Curved Micro Scissors 25G	14
CN27.D05 27G Blunt needle with luer-lock connector CT00.D01 CryoTreq® 6 LP27.A04 Laser Probe 27G Compatible with lridex® CT00.D01 CryoTreq® 6 LP27.A04 Laser Probe 27G Compatible with Alcon® LP27.I04 Laser Probe 27G Compatible with Alcon® LP27.I04 Laser Probe 27G Compatible with Iridex® and B8 ILM End-gripping 23G Single-Use 10 MD23.D01 23G PFC injection needle Sc23.D04 Asymmetrical Gripping 23G Single-Use 10 MD25.D01 25G PFC injection needle Sc23.D05 Eckardt Endgripping 23G Single-Use 11 SC23.D02 Straight Micro Scissors 23G Single-Use 11 SC23.D02 Straight Micro Scissors 23G Single-Use 11 SC23.D02 Straight Micro Scissors 23G Single-Use 11 SC23.D03 Horizontal Curved Micro Scissors 23G Single-Use 11 SC23.D03 Horizontal Curved Micro Scissors 23G Reusable 10 SC23.R01 Vertical Micro Scissors 23G Reusable 10 SC23.R02 Straight Micro Scissors 23G Reusable 10 SC23.R03 Horizontal Curved Micro Scissors 23G Reusable 10 SC23.R03 Horizontal Curved Micro Scissors 23G Reusable 10 SC23.R03 Horizontal Curved Micro Scissors 23G Reusable 11 SC25.D01 Vertical Micro Scissors 25G Single-Use 11 SC25.D02 Straight Micro Scissors 25G Single-Use 11 SC25.D03 Horizontal Curved Micro Scissors 25G Single-Use 11 SC25.D03 Horizontal Curved Micro Scissors 25G Single-Use 11 SC25.D03 Horizontal Curved Micro Scissors 25G Single-Use 11 SC25.D03 Serrated Gripping 25G Single-Use 10 SC25.R02 Straight Micro Scissors 25G Reusable 11 SC25.D03 Horizontal Curved Micro Scissors 25G Reusable 11 SC25.D04 Asymmetrical Gripping 25G Single-Use 10 SC25.R03 Horizontal Curved Micro Scissors 25G Reusable 11 SC25.D04 Asymmetrical Gripping 25G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use 11 SC27.D01 Vertical Micro Scissors 2	
CT00.D01 CryoTreq® 6 LP27.A04 Laser Probe 27G Compatible with Alcon® FC23.D02 Serrated Gripping 23G Single-Use 10 LP27.I04 Laser Probe 27G Compatible with Iridex® and B& FC23.D03 ILM End-gripping 23G Single-Use 10 MD23.D01 23G PFC injection needle FC23.D04 Asymmetrical Gripping 23G Single-Use 10 MD25.D01 25G PFC injection needle FC23.D05 Eckardt Endgripping 23G Single-Use 11 SC23.D01 Vertical Micro Scissors 23G Single-Use FC23.D05 Kuhn 45° Power Gripping 23G Single-Use 11 SC23.D02 Straight Micro Scissors 23G Single-Use FC23.D07 Shah X-tra Grip 23G Single-Use 11 SC23.D03 Horizontal Curved Micro Scissors 23G Single-Use 11 SC23.R02 Serrated Gripping 23G Reusable 10 SC23.R03 Vertical Micro Scissors 23G Reusable 10 SC23.R04 Asymmetrical Gripping 23G Reusable 10 SC23.R05 Eckardt Endgripping 23G Reusable 11 SC25.D01 Vertical Micro Scissors 25G Single-Use FC23.R06 Kuhn 45° Power Gripping 23G Reusable 11 SC25.D02 Straight Micro Scissors 25G Single-Use FC23.R07 Shah X-tra Grip 23G Reusable 11 SC25.D03 Horizontal Curved Micro Scissors 25G Single-Use FC25.D03 ILM End-gripping 25G Single-Use 11 SC25.D03 Horizontal Curved Micro Scissors 25G Single-Use FC25.D04 Asymmetrical Gripping 25G Single-Use 10 SC25.R01 Vertical Micro Scissors 25G Reusable FC25.D04 Asymmetrical Gripping 25G Single-Use 10 SC25.R03 Horizontal Curved Micro Scissors 25G Reusable FC25.D05 Eckardt Endgripping 25G Single-Use 11 SC25.D05 Vertical Micro Scissors 25G Reusable FC25.D05 Eckardt Endgripping 25G Single-Use 11 SC25.D07 Vertical Micro Scissors 25G Reusable FC25.D05 Eckardt Endgripping 25G Single-Use 11 SC25.D07 Vertical Micro Scissors 25G Reusable FC25.D06 Kuhn 45° Power Gripping 25G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use FC25.D06 Kuhn 45	
FC23.D02 Serrated Gripping 23G Single-Use 10 LP27.I04 Laser Probe 27G Compatible with Iridex® and B& FC23.D03 ILM End-gripping 23G Single-Use 10 MD23.D01 23G PFC injection needle 10 MD25.D01 25G PFC injection needle 10 MD25.D01 25G PFC injection needle 11 SC23.D05 Eckardt Endgripping 23G Single-Use 11 SC23.D05 Eckardt Endgripping 23G Single-Use 11 SC23.D06 Kuhn 45° Power Gripping 23G Single-Use 11 SC23.D07 Shah X-tra Grip 23G Single-Use 11 SC23.D08 Serrated Gripping 23G Reusable 11 SC23.D09 Straight Micro Scissors 23G Single-Use 11 SC23.D09 Horizontal Curved Micro Scissors 23G Single-Use 11 SC23.R00 Serrated Gripping 23G Reusable 12 SC23.R01 Vertical Micro Scissors 23G Reusable 13 SC23.R02 Straight Micro Scissors 23G Reusable 14 SC23.R03 ILM End-gripping 23G Reusable 15 SC23.R04 Asymmetrical Gripping 23G Reusable 16 SC23.R05 Eckardt Endgripping 23G Reusable 17 SC25.D01 Vertical Micro Scissors 25G Single-Use 18 FC23.R06 Kuhn 45° Power Gripping 23G Reusable 19 SC25.D02 Straight Micro Scissors 25G Single-Use 10 SC25.D03 Horizontal Curved Micro Scissors 25G Single-Use 11 SC25.D03 Horizontal Curved Micro Scissors 25G Single-Use 11 SC25.D04 Asymmetrical Gripping 25G Single-Use 11 SC25.D05 Eckardt Endgripping 25G Single-Use 11 SC25.D05 Eckardt Endgripping 25G Single-Use 11 SC25.D06 Kuhn 45° Power Gripping 25G Single-Use 11 SC25.D07 Vertical Micro Scissors 25G Reusable 12 SC25.D08 Eckardt Endgripping 25G Single-Use 13 SC25.D09 Vertical Micro Scissors 25G Reusable 14 SC25.D09 Sc25.R00 Vertical Micro Scissors 25G Reusable 15 SC25.D00 Sc25.R01 Vertical Micro Scissors 25G Reusable 16 SC25.D01 Vertical Micro Scissors 25G Reusable 17 SC25.D03 Horizontal Curved Micro Scissors 25G Reusable 18 SC25.D05 Eckardt Endgripping 25G Single-Use 19 SC25.D06 Vertical Micro Scissors 27G Single-Use 10 SC25.R03 Horizontal Curved Micro Scissors 27G Single-Use 10 SC25.R03 Horizontal Curved Micro Scissors 27G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use	
FC23.D03 ILM End-gripping 23G Single-Use FC23.D04 Asymmetrical Gripping 23G Single-Use FC23.D05 Eckardt Endgripping 23G Single-Use FC23.D06 Kuhn 45° Power Gripping 23G Single-Use FC23.D07 Shah X-tra Grip 23G Single-Use FC23.R02 Serrated Gripping 23G Reusable FC23.R03 ILM End-gripping 23G Reusable FC23.R04 Asymmetrical Gripping 23G Reusable FC23.R05 Eckardt Endgripping 23G Reusable FC23.R06 Kuhn 45° Power Gripping 23G Reusable FC23.R07 Shah X-tra Grip 23G Single-Use FC23.R08 ILM End-gripping 23G Reusable FC23.R09 Serrated Gripping 23G Reusable FC23.R00 Serrated Gripping 23G Reusable FC23.R01 Vertical Micro Scissors 23G Reusable FC23.R02 Straight Micro Scissors 23G Reusable FC23.R03 Horizontal Curved Micro Scissors 23G Reusable FC23.R05 Eckardt Endgripping 23G Reusable FC23.R06 Kuhn 45° Power Gripping 23G Reusable FC23.R07 Shah X-tra Grip 23G Reusable FC25.D02 Serrated Gripping 25G Single-Use FC25.D03 ILM End-gripping 25G Single-Use FC25.D04 Asymmetrical Gripping 25G Single-Use FC25.D05 Eckardt Endgripping 25G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use FC25.D0	14
FC23.D04 Asymmetrical Gripping 23G Single-Use FC23.D05 Eckardt Endgripping 23G Single-Use FC23.D06 Kuhn 45° Power Gripping 23G Single-Use FC23.D07 Shah X-tra Grip 23G Single-Use FC23.D07 Shah X-tra Grip 23G Reusable FC23.R08 Serrated Gripping 23G Reusable FC23.R09 ILM End-gripping 23G Reusable FC23.R00 Eckardt Endgripping 23G Reusable FC23.R01 Vertical Micro Scissors 23G Single-Use FC23.R02 Serrated Gripping 23G Reusable FC23.R03 ILM End-gripping 23G Reusable FC23.R04 Asymmetrical Gripping 23G Reusable FC23.R05 Eckardt Endgripping 23G Reusable FC23.R06 Kuhn 45° Power Gripping 23G Reusable FC23.R07 Shah X-tra Grip 23G Reusable FC23.R07 Shah X-tra Grip 23G Reusable FC25.D02 Serrated Gripping 25G Single-Use FC25.D03 ILM End-gripping 25G Single-Use FC25.D04 Asymmetrical Gripping 25G Single-Use FC25.D05 Eckardt Endgripping 25G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use F	
FC23.D05 Eckardt Endgripping 23G Single-Use FC23.D06 Kuhn 45° Power Gripping 23G Single-Use FC23.D07 Shah X-tra Grip 23G Single-Use FC23.D07 Shah X-tra Grip 23G Reusable FC23.R08 Serrated Gripping 23G Reusable FC23.R09 ILM End-gripping 23G Reusable FC23.R00 Eckardt Endgripping 23G Reusable FC23.R01 Vertical Micro Scissors 23G Single-Use FC23.R02 Serrated Gripping 23G Reusable FC23.R03 ILM End-gripping 23G Reusable FC23.R04 Asymmetrical Gripping 23G Reusable FC23.R05 Eckardt Endgripping 23G Reusable FC23.R06 Kuhn 45° Power Gripping 23G Reusable FC23.R07 Shah X-tra Grip 23G Reusable FC23.R08 Serrated Gripping 25G Single-Use FC25.D00 Serrated Gripping 25G Single-Use FC25.D01 Vertical Micro Scissors 25G Single-Use FC25.D02 Serrated Gripping 25G Single-Use FC25.D03 ILM End-gripping 25G Single-Use FC25.D04 Asymmetrical Gripping 25G Single-Use FC25.D05 Eckardt Endgripping 25G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use FC25.D07 Horizontal Curved Micro Scissors 27G Single-Use FC25.D08 FC25.D08 Kuhn 45° Power Gripping 25G Single-Use FC25.D09 Horizontal Curved Micro Scissors 27G Single-Use FC25.D00 Horizontal Curved Micro Scissors 27G Single-Use	22
FC23.D06 Kuhn 45° Power Gripping 23G Single-Use FC23.D07 Shah X-tra Grip 23G Single-Use FC23.D07 Shah X-tra Grip 23G Single-Use FC23.R02 Serrated Gripping 23G Reusable FC23.R03 ILM End-gripping 23G Reusable FC23.R04 Asymmetrical Gripping 23G Reusable FC23.R05 Eckardt Endgripping 23G Reusable FC23.R06 Kuhn 45° Power Gripping 23G Reusable FC23.R07 Shah X-tra Grip 23G Reusable FC23.R07 Shah X-tra Grip 23G Reusable FC25.D02 Serrated Gripping 25G Single-Use FC25.D03 ILM End-gripping 25G Single-Use FC25.D04 Asymmetrical Gripping 25G Single-Use FC25.D05 Eckardt Endgripping 25G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use FC25.D07 Horizontal Curved Micro Scissors 27G Single-Use FC25.D08 FC25.D08 Kuhn 45° Power Gripping 25G Single-Use FC25.D09 Horizontal Curved Micro Scissors 27G Single-Use FC25.D09 Horizontal Curved Micro Scissors 27G Single-Use FC25.D00 Horizontal Curved Micro Scissors 27G Single-Use	22
FC23.D07 Shah X-tra Grip 23G Single-Use FC23.R02 Serrated Gripping 23G Reusable FC23.R03 ILM End-gripping 23G Reusable FC23.R04 Asymmetrical Gripping 23G Reusable FC23.R05 Eckardt Endgripping 23G Reusable FC23.R06 Kuhn 45° Power Gripping 23G Reusable FC23.R07 Shah X-tra Grip 23G Reusable FC23.R08 Serrated Gripping 23G Reusable FC23.R09 Eckardt Endgripping 23G Reusable FC23.R00 Shah X-tra Grip 23G Reusable FC23.R00 Shah X-tra Grip 23G Reusable FC23.R01 Vertical Micro Scissors 25G Single-Use FC23.R02 Straight Micro Scissors 25G Single-Use FC23.R03 Horizontal Curved Micro Scissors 25G Single-Use FC23.R07 Shah X-tra Grip 23G Reusable FC25.D02 Serrated Gripping 25G Single-Use FC25.D03 ILM End-gripping 25G Single-Use FC25.D04 Asymmetrical Gripping 25G Single-Use FC25.D05 Eckardt Endgripping 25G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use FC25.D07 Single-Use FC25.D08 Horizontal Curved Micro Scissors 25G Single-Use FC25.D09 FC25.D00 Vertical Micro Scissors 25G Reusable FC25.D00 FC25.	12
FC23.R02 Serrated Gripping 23G Reusable FC23.R03 ILM End-gripping 23G Reusable FC23.R04 Asymmetrical Gripping 23G Reusable FC23.R05 Eckardt Endgripping 23G Reusable FC23.R06 Kuhn 45° Power Gripping 23G Reusable FC23.R07 Shah X-tra Grip 23G Reusable FC25.D02 Serrated Gripping 25G Single-Use FC25.D03 ILM End-gripping 25G Single-Use FC25.D04 Asymmetrical Gripping 25G Single-Use FC25.D05 Eckardt Endgripping 25G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use FC25.D07 Vertical Micro Scissors 25G Single-Use FC26.D08 Serrated Gripping 25G Single-Use FC27.D09 ILM End-gripping 25G Single-Use FC28.D09 Serrated Gripping 25G Single-Use FC29.D00 Asymmetrical Gripping 25G Single-Use FC29.D00 Eckardt Endgripping 25G Single-Use FC29.D00 Kuhn 45° Power Gripping 25G Single-Use FC29.D00 Kuhn 45° Power Gripping 25G Single-Use FC29.D00 Kuhn 45° Power Gripping 25G Single-Use FC29.D00 Horizontal Curved Micro Scissors 27G Single-Use FC29.D00 Kuhn 45° Power Gripping 25G Single-Use FC29.D00 Kuhn 45° Power Gripping 25G Single-Use FC29.D00 Horizontal Curved Micro Scissors 27G Single-Use FC29.D00 Kuhn 45° Power Gripping 25G Single-Use FC29.D00 Kuhn 45° Power Gripping 25G Single-Use	12
FC23.R03 ILM End-gripping 23G Reusable FC23.R04 Asymmetrical Gripping 23G Reusable FC23.R05 Eckardt Endgripping 23G Reusable FC23.R06 Kuhn 45° Power Gripping 23G Reusable FC23.R07 Shah X-tra Grip 23G Reusable FC25.D02 Serrated Gripping 25G Single-Use FC25.D03 ILM End-gripping 25G Single-Use FC25.D04 Asymmetrical Gripping 25G Single-Use FC25.D05 Eckardt Endgripping 25G Single-Use 10 SC25.D04 Asymmetrical Gripping 25G Single-Use 11 SC25.D05 Eckardt Endgripping 25G Single-Use 12 SC25.D06 Kuhn 45° Power Gripping 25G Single-Use 13 SC25.D06 Kuhn 45° Power Gripping 25G Single-Use 14 SC25.D07 Straight Micro Scissors 25G Single-Use 15 SC25.D08 Sc25.R01 Vertical Micro Scissors 25G Reusable 16 SC25.D08 Sc25.R02 Straight Micro Scissors 25G Reusable 17 SC25.D08 Horizontal Curved Micro Scissors 25G Reusable 18 SC25.D08 Horizontal Curved Micro Scissors 25G Reusable 19 SC25.D09 Vertical Micro Scissors 25G Reusable 19 SC25.D09 Vertical Micro Scissors 25G Single-Use 10 SC25.D09 Vertical Micro Scissors 25G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use	12
FC23.R04 Asymmetrical Gripping 23G Reusable FC23.R05 Eckardt Endgripping 23G Reusable FC23.R06 Kuhn 45° Power Gripping 23G Reusable FC23.R07 Shah X-tra Grip 23G Reusable FC25.D02 Serrated Gripping 25G Single-Use FC25.D03 ILM End-gripping 25G Single-Use FC25.D04 Asymmetrical Gripping 25G Single-Use FC25.D05 Eckardt Endgripping 25G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use FC25.D07 Shah X-tra Grip 23G Reusable FC25.D08 Serrated Gripping 25G Single-Use FC25.D09 ILM End-gripping 25G Single-Use FC25.D00 Asymmetrical Gripping 25G Single-Use FC25.D00 Eckardt Endgripping 25G Single-Use FC25.D00 Kuhn 45° Power Gripping 25G Single-Use FC25.D00 Kuhn 45° Power Gripping 25G Single-Use FC25.D00 Horizontal Curved Micro Scissors 27G Single-Use FC25.D00 Kuhn 45° Power Gripping 25G Single-Use FC25.D00 Kuhn 45° Power Gripping 25G Single-Use FC25.D00 FC25.D00 FC25.D00 Horizontal Curved Micro Scissors 27G Single-Use FC25.D00 FC25	12
FC23.R05 Eckardt Endgripping 23G Reusable FC23.R06 Kuhn 45° Power Gripping 23G Reusable FC23.R07 Shah X-tra Grip 23G Reusable FC25.D02 Serrated Gripping 25G Single-Use FC25.D03 ILM End-gripping 25G Single-Use FC25.D04 Asymmetrical Gripping 25G Single-Use FC25.D05 Eckardt Endgripping 25G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use T1 SC25.D01 Vertical Micro Scissors 25G Single-Use T1 SC25.D02 Straight Micro Scissors 25G Reusable T1 SC25.D03 Vertical Micro Scissors 25G Reusable T1 SC25.D04 Straight Micro Scissors 25G Reusable T25.D05 Eckardt Endgripping 25G Single-Use T25.D06 Kuhn 45° Power Gripping 25G Single-Use T27.D07 Vertical Micro Scissors 27G Single-Use T27.D08 Horizontal Curved Micro Scissors 27G Single-Use T27.D09 Horizontal Curved Micro Scissors 27G Single-Use	12
FC23.R06 Kuhn 45° Power Gripping 23G Reusable FC23.R07 Shah X-tra Grip 23G Reusable FC25.D02 Serrated Gripping 25G Single-Use FC25.D03 ILM End-gripping 25G Single-Use FC25.D04 Asymmetrical Gripping 25G Single-Use FC25.D05 Eckardt Endgripping 25G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use T1 SC25.D02 Straight Micro Scissors 25G Reusable SC25.R01 Vertical Micro Scissors 25G Reusable SC25.R02 Straight Micro Scissors 25G Reusable SC25.R03 Horizontal Curved Micro Scissors 25G Reusable SC25.D04 Vertical Micro Scissors 25G Reusable SC25.D05 Eckardt Endgripping 25G Single-Use T1 SC27.D01 Vertical Micro Scissors 27G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use T1 SC27.D03 Horizontal Curved Micro Scissors 27G Single-Use	12
FC23.R07 Shah X-tra Grip 23G Reusable 11 SC25.D03 Horizontal Curved Micro Scissors 25G Single-Use 10 SC25.R01 Vertical Micro Scissors 25G Reusable 11 SC25.D03 ILM End-gripping 25G Single-Use 10 SC25.R02 Straight Micro Scissors 25G Reusable 10 SC25.R04 Asymmetrical Gripping 25G Single-Use 10 SC25.R03 Horizontal Curved Micro Scissors 25G Reusable 11 SC27.D05 Eckardt Endgripping 25G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use 11 SC27.D03 Horizontal Curved Micro Scissors 27G Single-Use 11 SC27.D03 Horizontal Curved Micro Scissors 27G Single-Use	12
FC25.D02 Serrated Gripping 25G Single-Use 10 SC25.R01 Vertical Micro Scissors 25G Reusable FC25.D03 ILM End-gripping 25G Single-Use 10 SC25.R02 Straight Micro Scissors 25G Reusable FC25.D04 Asymmetrical Gripping 25G Single-Use 10 SC25.R03 Horizontal Curved Micro Scissors 25G Reusable FC25.D05 Eckardt Endgripping 25G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use 11 SC27.D03 Horizontal Curved Micro Scissors 27G Single-Use	12
FC25.D03 ILM End-gripping 25G Single-Use 10 SC25.R02 Straight Micro Scissors 25G Reusable FC25.D04 Asymmetrical Gripping 25G Single-Use 10 SC25.R03 Horizontal Curved Micro Scissors 25G Reusable FC25.D05 Eckardt Endgripping 25G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use FC25.D06 Kuhn 45° Power Gripping 25G Single-Use 11 SC27.D03 Horizontal Curved Micro Scissors 27G Single-Use	12
FC25.D04 Asymmetrical Gripping 25G Single-Use 10 SC25.R03 Horizontal Curved Micro Scissors 25G Reusable FC25.D05 Eckardt Endgripping 25G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use 11 SC27.D03 Horizontal Curved Micro Scissors 27G Single-Use	12
FC25.D05 Eckardt Endgripping 25G Single-Use 11 SC27.D01 Vertical Micro Scissors 27G Single-Use SC25.D06 Kuhn 45° Power Gripping 25G Single-Use 11 SC27.D03 Horizontal Curved Micro Scissors 27G Single-Use	12
FC25.D06 Kuhn 45° Power Gripping 25G Single-Use 11 SC27.D03 Horizontal Curved Micro Scissors 27G Single-Use	12
	12
	12
FC25.R02 Serrated Gripping 25G Reusable 10 SQ00.D01 Squeezer, 2 ml reservoir, Sterile	24
FC25.R03 ILM End-gripping 25G Reusable 10 SQ00.D02 Squeezer, 5 ml reservoir, Sterile	24
FC25.R04 Asymmetrical Gripping 25G Reusable 10 TM23.D01 23G Retractable tissue manipulator	23
FC25.R05 Eckardt Endgripping 25G Reusable 11 TM25.D01 25G Retractable tissue manipulator	23
FC25.R06 Kuhn 45° Power Gripping 25G Reusable 11 VS00.R02 Williamson Scleral Depressor	2.
FC25.R07 Shah X-tra Grip 25G Reusable 11	۷.

BVI® is refocusing the future of vision.

As one of the fastest-growing, diversified surgical ophthalmic businesses in the world, our purpose-built portfolio spans more than 115 countries.

We've set our sights on touching the lives of millions of patients affected by conditions such as cataracts, refractive error, glaucoma, retinal disease, and dry eye.

Unburdened by legacy or bureaucracy, we have developed our strategy around a simple concept — taking pride in delivering innovative solutions for our physicians and patients, based on their needs.

We trust and empower our associates to make decisions and solve problems because collaboration drives us. Valuing agility, simplicity, and transparency, we stay committed to listening to our customers, delivering for our patients, and keeping the future in focus.



